


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27	((("3,513,320") or ("4,488,679") or ("4,654,718") or ("4,752,675") or ("4,896,029") or ("4,958,064") or ("4,998,010") or ("5,047,614") or ("5,113,445") or ("5,153,418") or ("5,159,635") or ("5,189,292") or ("5,223,701") or ("5,343,028") or ("5,352,878") or ("5,412,196") or ("5,428,211") or ("5,438,188") or ("5,465,291") or ("5,478,999") or ("5,483,052") or ("5,493,105") or ("5,545,887") or ("5,604,640") or ("5,612,527") or ("5,804,803") or ("5,869,819"))).PN.	USPAT	OR	OFF	2005/10/02 19:27
L2	19	((("5,903,729") or ("5,905,251") or ("5,905,248") or ("5,933,634") or ("5,933,829") or ("5,938,726") or ("5,978,773") or ("5,992,752") or ("6,012,102") or ("6,027,024") or ("6,032,195") or ("6,068,188") or ("6,076,733") or ("6,098,106") or ("6,108,656") or ("6,138,151") or ("6,154,738") or ("6,377,986") or ("6,384,744"))).PN.	USPAT	OR	OFF	2005/10/02 19:42
L3	3	((("6535883") or ("6564249") or ("6584601"))).PN.	USPAT	OR	OFF	2005/10/02 19:25
L4	4	((("20020144017") or ("20020147743") or ("20020152241") or ("20020149793"))).PN.	US-PGPUB	OR	OFF	2005/10/02 19:22
L6	53	1 or 2 or 3 or 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 21:21
L8	4480	235/375.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 21:06
L9	304	705/50.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 21:06
L10	1541	709/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 21:06

L11	230	340/5.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 21:06
L12	205	340/7.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 21:07
L13	2	"6,032,195".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 21:07
L14	0	object same identifier same reader same match same first same second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 21:21
L15	241	object same identifier same reader	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 21:21
L16	113	15 and match	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 21:21
L17	101	16 and first same second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 21:21
L18	21	17 and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 21:39
L19	11	18 and pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/02 21:39


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about 48,900,000 for object identifier data system. (0.36 seconds)Registry of Z39.50 Object Identifiers1.2.840.10003.5.27, ISDS/ ISSNmarc, "International Serials **Data System**" ...Record Syntax **Object Identifiers** for Specific MARC Formats ...www.loc.gov/z3950/agency/defns/oids.html - 67k - [Cached](#) - [Similar pages](#)Cover Pages: Digital Object Identifier (DOI) System"The Digital **Object Identifier** (DOI) is a **system** for identifying and exchanging intellectual ... Formally, DOI scope is defined in terms of a **data** model, ...xml.coverpages.org/doi.html - 25k - [Cached](#) - [Similar pages](#)Shore Project Home PageRecords may be retrieved by **object identifier** or by scanning files. ... **system** (GIS) that is capable of storing and manipulating massive **data** sets. ...www.cs.wisc.edu/shore/ - 15k - [Cached](#) - [Similar pages](#)16. VLDB 1990: Brisbane, Queensland, AustraliaILOG: Declarative Creation and Manipulation of **Object Identifiers**. 455-468 ...An Adaptive **Data** Placement Scheme for Parallel Database Computer **Systems**. ...www.informatik.uni-trier.de/~ley/db/conf/vldb/vldb90.html - 31k - Sep 30, 2005 - [Cached](#) - [Similar pages](#)PostgreSQL: Documentation: Manuals: PostgreSQL 8.0: Object ...Type oid represents an **object identifier**. There are also several alias types for oid: regproc ... This is the **data** type of the **system** columns xmin and xmax. ...www.postgresql.org/docs/ 8.0/interactive/datatype-oid.html - 16k - [Cached](#) - [Similar pages](#)PostgreSQL: Documentation: Manuals: PostgreSQL 8: Object ...**Object identifiers** (OIDs) are used internally by PostgreSQL as primary keys for various ... This is the **data** type of the **system** columns xmin and xmax. ...www.postgresql.org/docs/ current/static/datatype-oid.html - 12k - [Cached](#) - [Similar pages](#)RFC 1450 (rfc1450) - Management Information Base for version 2 of ...snmpModules 1 } snmpMIBObjects **OBJECT IDENTIFIER** ::= { snmpMIB 1 } RFC 1450 ...DAVID **Systems**, Inc. Jon Dreyer, Sun Microsystems David Engel, Optical **Data** ...www.faqs.org/rfcs/rfc1450.html - 43k - Sep 30, 2005 - [Cached](#) - [Similar pages](#)Digital Object Identifiers (DOI)Digital **Object Identifiers** (DOI) – Future Access Tool Now Being Designed ...Still to come is linkage to more extensive meta-**data systems**, such as Dublin ...www.asis.org/Bulletin/Dec-97/am97extra/doi.htm - 13k - [Cached](#) - [Similar pages](#)Planetary Data System: Small Bodies NodeThe Planetary **Data System** (PDS) is a distributed archive of solar **system data**, ... The SBDB will eventually allow users to **identify objects** based on ...pdssbn.astro.umd.edu/ - 15k - [Cached](#) - [Similar pages](#)[PDF] Digital Object Identifier


File Format: PDF/Adobe Acrobat

Digital **Object Identifier**. • A **system** that provides predictable ... principles for

interoperable **data** in e-commerce. • Action: Handle **System** ...
www.idrm.org/idrm2_Paskin.pdf - [Similar pages](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Resources](#) - [About Google](#)

©2005 Google